



MAXIM[®]
L I G H T I N G

June 2016 Supplement

TABLE OF CONTENTS

Arbor	115	Mandeville	113
Atom	17	Midtown	33
Aviary	13	Miranda	9
Baldwin	49	Moon Ray	137
Bali	55	New School	21
Bedazzle	107	Orbit	5
Bejewel	91	Packs	125
Casa Grande	111	Path	133
Civic	131	Pavilion	129
Cocoon	51	Pendant Separator Kit	64
Conical	93	Picazzo	85
CounterMax MX-L-120-2K	102	Pike Place	121
CounterMax MX-LD-AC	101	Pillar	119
Crete	59	Rembrant	81
Curl	75	Road House	11
Diverse	100	Rustica	123
Equinox	25	Silhouette	37
Esquire	47	Splendor	29
Essentials	99	Swing	1
Flux	98	Tier	77
Hennesy	45	Townhouse	127
Holmby Hills	117	Tribeca	43
Hotel	65	Trim	79
Ice	89	Vanity	87
Image	90	Villa	109
Kartier	73	Vino	63
Lightray LED	135	Vista	83
Linear EE	97	Wall Pak	105
Linear LED	95	Westport DC	139
Lucid	41		

LEGEND



ADA Compliant



California Title 24



Dimmable



Energy Efficient



Energy Star Certified



For Damp Location



For Wet Location



Installs on Slope Ceiling



Installs Up or Down



LED



LED Dimmer

30253WTPD

6-Light Chandelier
Finish: Platinum Dusk

24"W • 30"H

Bulb Type: CA, Incan.

Max Wattage: 60



SWING

Collection

White opal glass shades suspend from angular metal frames available in our rich Platinum Dusk finish. The chandeliers' metal frames pivot which allows you to adjust the fixture to create a unique look and re-position the light source to where it is needed.

SWING

Collection

- *Pivoting metal arms allow to reposition light*
- *White opal glass shades*
- *NEW Platinum Dusk finish*

30255WTPD

8-Light Chandelier
Finish: Platinum Dusk
30"W • 36"H
Bulb Type: CA, Incan.
Max Wattage: 60



SWING Collection



30257WTPD

6-Light Chandelier

Finish: Platinum Dusk

48"L • 6"W • 27"H • 71.5"OAH

Bulb Type: CA, Incan.

Max Wattage: 60

- Includes One 6" stem
(Order 6" stems: STR05706PD-AS)
- Includes Three 12" stems
(Order 12" stems: STR05712PD-AS)



SWING Collection

- Pivoting metal arms allow to reposition light
- White opal glass shades
- NEW Platinum Dusk finish



30259WTPD

1-Light Mini Pendant
Finish: Platinum Dusk
9"W • 13.75"H • 58.75"OAH
Bulb Type: CA, Incan.
Max Wattage: 60

- Includes One 6" stem
(Order 6" stems: STR04806PD-AS)
- Includes Three 12" stems
(Order 12" stems: STR04812PD-AS)



30251WTPD

1-Light Wall Sconce
Finish: Platinum Dusk
9"W • 13.75"H • 6.5"Ext.
Bulb Type: CA, Incan.
Max Wattage: 60

ORBIT

Collection

A spherical frame of metal surround a simple line chandelier draped in crystal for a transitional style that fits any interior design.



Orbit is available in 2 sizes and 2 finishes, Oil Rubbed Bronze with Cognac crystal and a combo finish of Anthracite and Polished Nickel with clear crystal.





ORBIT

Collection

- Anthracite and Polished Nickel finish supplied with Clear crystals
- Oil Rubbed Bronze finish supplied with Cognac crystal



25145 OI, ARPN
9-Light Pendant
30"W • 33"H
Bulb Type: CA, Incan.
Max Wattage: 60

- Crystal Included



25144 OI, ARPN
6-Light Pendant
25"W • 28"H
Bulb Type: CA, Incan.
Max Wattage: 60


- Crystal Included



25142ARPN



25140OI



25147ARPN

25142 OI, ARPN
4-Light Pendant
19"W • 21.5"H
Bulb Type: CA, Incan.
Max Wattage: 60

- Crystal Included

25147 OI, ARPN
12-Light Chandelier
40"W • 43.5"H
Bulb Type: CA, Incan.
Max Wattage: 40

- Crystal Included

25140 OI, ARPN
3-Light Pendant
12"W • 14"H
Bulb Type: CA, Incan.
Max Wattage: 60

- Crystal Included



32516APBY
12-Light Pendant
Finish: Antique Pecan/Bay
26"W • 42"H
Bulb Type: CA, Incan.
Max Wattage: 60

MIRANDA

Collection

Cages constructed of wood, finished in Antique Pecan, blend beautifully with the metal bars painted in our rich Bay finish. Elegant chandeliers, draped in crystal, grace the interior of the cage to create a unique transitional style to fit a wide variety of interiors.

MIRANDA

Collection

- Cages of wood finished in Antique Pecan with metal bars create industrial look
- Crystal drapes interior, elegant chandelier



32512APBY
4-Light Pendant
Finish: Antique Pecan/Bay
15"W • 27"H
Bulb Type: CA, Incan.
Max Wattage: 60



32514APBY
6-Light Pendant
Finish: Antique Pecan/Bay
20"W • 32"H
Bulb Type: CA, Incan.
Max Wattage: 60



20927BWIO
6-Light Pendant
Finish: Barn Wood/Iron Ore
36"L • 19"W • 23"H
Bulb Type: CA, Incan.
Max Wattage: 40
Dimmable: Standard



ROAD HOUSE

Collection

Unique pendants formed of bent wood finished in Barn Wood creates a weathered and distressed look. The internal clusters and details are constructed of cast iron in a hammered pattern and finished in a natural looking Iron Ore. A excellent blend of soft shape and rustic finish allows for this collection to fit into a number of interior designs.

ROAD HOUSE

Collection

- *Weathered and distressed Barn-style wood*
- *Detailed hammered patterns on a cast iron frame finished in Iron Ore*
- *Dimmable*
- *Incandescent*



20923BWIO

4-Light Pendant
Finish: Barn Wood/Iron Ore

19"W • 23"H

Bulb Type: CA, Incan.

Max Wattage: 40

Dimmable: Standard



20925BWIO

5-Light Pendant
Finish: Barn Wood/Iron Ore

22"W • 31.5"H

Bulb Type: CA, Incan.

Max Wattage: 40

Dimmable: Standard





38484CGOI

10-Light Pendant

Finish: Oil Rubbed Bronze

19.25"W • 35.5"H • 84.5"OAH

Bulb Type: G9, LED (Included)

Bulb: BUL-2.9W-G9-CL-120V-827

Max Wattage: 3

Lumens: 2100



AVIARY

Collection

Heavy weight steel cages support a circular band of individual glass rods which run beyond the entire height of the fixture. A spiraling cluster of G9 LED bulbs refract light in an unusual pattern creating a lighting effect sure to create attention. You can choose between the rounded style in Anthracite and Clear rods or the more transitional faceted shape in Oil Rubbed Bronze with Cognac rods.



- Heavyweight steel cages support a circular band of glass rods
- Available in two options:
Anthrite with clear rods or
Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 2700K Color Temperature
- CRI 80



38486CGOI




38487CGOI



38485CGOI



38483CGOI



38482CGOI

All Pendants on pages come with:

- Includes Two 6" stems
(Order 6" stems: STR06206OI-SG)
- Includes Two 12" stems
(Order 12" stems: STR06212OI-SG)
- Includes One 12" stem with U-joint
(Order 12" stem with U-joint: STR06212OIS-SG)

38482CGOI

5-Light Wall Sconce
Finish: Oil Rubbed Bronze
9.25"W • 27"H • 4.5"Ext.
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 1050



38483CGOI

8-Light Pendant
Finish: Oil Rubbed Bronze
9.5"W • 27"H • 76.5"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 1680



38485CGOI

12-Light Pendant
Finish: Oil Rubbed Bronze
15"W • 18"H • 67.25"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2520



38486CGOI

13-Light Pendant
Finish: Oil Rubbed Bronze
20.25"W • 22"H • 71.25"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2730



38487CGOI

13-Light Pendant
Finish: Oil Rubbed Bronze
27"W • 23.5"H • 72.75"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2730





- Heavyweight steel cages support a circular band of glass rods
- Available in two options: Anthracite with clear rods or Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 3500K Color Temperature
- CRI 80

38382CLAR

5-Light Wall Sconce
Finish: Anthracite
9"W • 27"H • 5"Ext.
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 1050



38383CLAR

8-Light Pendant
Finish: Anthracite
9"W • 27"H • 76.5"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 1680



38385CLAR

12-Light Pendant
Finish: Anthracite
15"W • 18"H • 67.25"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2520



38386CLAR

13-Light Pendant
Finish: Anthracite
21"W • 22"H • 71.25"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2730



38387CLAR

13-Light Pendant
Finish: Anthracite
28"W • 23.5"H • 72.75"OAH
Bulb Type: G9, LED (Included)
Bulb: BUL-2.9W-G9-CL-120V-827
Max Wattage: 3
Lumens: 2730



38387CLAR



38386CLAR



38383CLAR



38385CLAR



38382CLAR

All Pendants on pages come with:

- Includes Two 6" stems
(Order 6" stems: STR06206AR-SG)
- Includes Two 12" stems
(Order 12" stems: STR06212AR-SG)
- Includes One 12" stem with U-joint
(Order 12" stem with U-joint: STR06212ARS-SG)

AVIARY Collection



• See pages 143-145
for G9 LED option

LED 



38384CLAR

10-Light Pendant

Finish: Anthracite

20"W • 35.5"H • 84.5"OAH

Bulb Type: G9, LED (Included)

Bulb: BUL-2.9W-G9-CL-120V-827

Max Wattage: 3

Lumens: 2100



ATOM

Collection

A Mid-Century Modern industrial classic revived featuring softly bent arms finished in Black with Polished Nickel accents that terminate at round White opal glass balls.



- Mid-Century Modern revival
- Contrasting Polished Nickel and Black finish
- White opal glass softly diffuses candelabra light

24727WTBKPN

12-Light Pendant
Finish: Black/Polished Nickel

36"W • 25.75"H • 64"OAH

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 33600

- Includes One 6" stem
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems
(Order 12" stems: STR06212BKPN-MH)





24725WTBKPN

24725WTBKPN

8-Light Pendant

Finish: Black/Polished Nickel

28"W • 22.75"H • 61.5"OAH

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 22400

- Includes One 6" stem
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems
(Order 12" stems: STR06212BKPN-MH)



94720WTBKPN

94720WTBKPN

1-Light Mini Pendant

Finish: Black/Polished Nickel

6"W • 7.5"H • 86.25"OAH

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 2800

- Includes One 6" stem
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems
(Order 12" stems: STR06212BKPN-MH)



- Mid-Century Modern revival
- Contrasting Polished Nickel and Black finish
- White opal glass softly diffuses candelabra light



24722WTBKPN

24722WTBKPN

2-Light Wall Sconce
Finish: Black/Polished Nickel
6"W • 18.25"H • 14.75"Ext.
Bulb Type: CA, Incan.
Max Wattage: 40
Lumens: 5600



24720WTBKPN

24720WTBKPN

10-Light Flush Mount
Finish: Black/Polished Nickel
38"W • 30"H
Bulb Type: CA, Incan.
Max Wattage: 40
Lumens: 28000

NEW SCHOOL

Collection

This classic look was updated with modern day styling and technology. Tubular metal frames finished in Satin Nickel support school house glass shades in Satin White. Powered by dimmable LED modules this collection is the perfect marriage of ageless styling and space age technology.



NEW SCHOOL Collection

- Classic school house shades in Satin White
- Dimmable LED modules
- 3000K Color Temperature, CRI 90, dimmable



30245SWSN

5-Light LED Chandelier

Finish: Satin Nickel

28"W • 9.5"H • 51.5"OAH

Bulb Type: LED (Integrated)

Max Wattage: 33

Lumens: 2600

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems
(Order 12" stems: STR04912SN-RS)



NEW SCHOOL Collection



30243SWSN

3-Light LED Chandelier

Finish: Satin Nickel

21.5"W • 9.5"H • 51.5"OAH

Bulb Type: LED (Integrated)

Max Wattage: 23

Lumens: 1600

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems
(Order 12" stems: STR04912SN-RS)



90240SWSN

1-Light LED Mini Pendant

Finish: Satin Nickel

7.5"W • 6.5"H • 48.5"OAH

Bulb Type: LED (Integrated)

Max Wattage: 9

Lumens: 690

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems
(Order 12" stems: STR04912SN-RS)



NEW SCHOOL Collection

- Classic school house shades in Satin White
- Dimmable LED modules
- 3000K Color Temperature, CRI 90, dimmable



30240SWSN



30242SWSN



30247SWSN

30240SWSN

1-Light LED Flush Mount
Finish: Satin Nickel
10.5"W • 11"H
Bulb Type: LED (Integrated)
Max Wattage: 15
Lumens: 1050
Dimmable: Standard



30247SWSN

3-Light LED Bath Vanity
Finish: Satin Nickel
28"W • 10.5"H • 9.5"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 23
Lumens: 1600
Dimmable: Standard



30242SWSN

1-Light LED Wall Sconce
Finish: Satin Nickel
7.5"W • 10"H • 9"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 9
Lumens: 690
Dimmable: Standard





EQUINOX

Collection

Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents, create spherical forms of lighting. These spheres are graced with Beveled Crystal fonts which conceal dimmable LED bulbs. A perfect blend of grace, beauty and energy efficiency.

EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,
see pages 143-145 for information



39108BCPN

39108BCPN
39108BCTXBPN
LED Pendant
39.75"W • 46.5"H • 126"OAH
Bulb Type: LED (Included)
Max Wattage: 64.4
Lumens: 5320
Dimmable: Standard



39108BCTXBPN

EQUINOX
Collection



39104BCPN



39104BCTXBPN

39104BCPN
39104BCTXBPN
LED Pendant
25"W • 29.75"H • 110.25"OAH
Bulb Type: LED (Included)
Max Wattage: 34.5
Lumens: 2850
Dimmable: Standard



EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,
see pages 143-145 for information



39102BCPN



39102BCTXBPN

39102BCPN

39102BCTXBPN

LED Pendant

18"W • 21"H • 102.25"OAH


Bulb Type: LED (Included)

Max Wattage: 13.8

Lumens: 1140

Dimmable: Standard





SPLENDOR

Collection

Crystalline diffusers sparkle in the night when illuminated by high powered LED. The Bronze metal frames soften the look and contrasts well with the brilliance of the diffuser. The collection features two sizes of round pendants including round and square ceiling mount styles.

SPLENDOR Collection

- Crystalline diffusers illuminated by high powered LED
- 3000K Color Temperature, CRI 80, dimmable



35047CRYBZ



35046CRYBZ

35047CRYBZ

LED Chandelier

Finish: Bronze

32"W • 2.5"H • 124"OAH

Bulb Type: LED (Integrated)

Max Wattage: 57.6

Lumens: 4032

Dimmable: Standard



35046CRYBZ

LED Chandelier

Finish: Bronze

23.5"W • 2.5"H • 124"OAH

Bulb Type: LED (Integrated)

Max Wattage: 43.2


Lumens: 3024

Dimmable: Standard



SPLENDOR

Collection



35044CRYBZ

LED Flush Mount

Finish: Bronze


23.5"W • 3.75"H

Bulb Type: LED (Integrated)

Max Wattage: 48

Lumens: 3360

Dimmable: Standard



35043CRYBZ

LED Flush Mount

Finish: Bronze


15.5"W • 3.75"H

Bulb Type: LED (Integrated)

Max Wattage: 24

Lumens: 1680

Dimmable: Standard



SPLENDOR Collection

- Crystalline diffusers illuminated by high powered LED
- 3000K Color Temperature, CRI 80, dimmable



35041CRYBZ

LED Flush Mount

Finish: Bronze

23.5"W • 3.75"H

Bulb Type: LED (Integrated)

Max Wattage: 48

Lumens: 3360

Dimmable: Standard



35040CRYBZ

LED Flush Mount

Finish: Bronze

15.5"W • 3.75"H

Bulb Type: LED (Integrated)

Max Wattage: 24

Lumens: 1680

Dimmable: Standard





MIDTOWN

Collection

It is hard to find large scale lighting for those large areas that is not custom made. This collection features a metal frame finished in Gold Bronze supporting tall Clear glass cylinders. The tall scale candles finished in a complimentary gold are topped with LED filament bulbs which are included.

MIDTOWN Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs
- 2700K Color Temperature
- CRI 90+



• Includes LED filament bulbs see pages 143-145 for additional information



43747CLGB

8-Light Pendant

Finish: Gold Bronze

55"L • 20"W • 26.75"H • 66.5"OAH

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 2240

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR08706GB-MT)
- Includes Six 12" stems
(Order 12" stems: STR08712GB-MT)



MIDTOWN

Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs
- 2700K Color Temperature
- CRI 90+



• Includes LED filament bulbs see pages 143-145 for additional information

LED



43749CLGB

18-Light Pendant

Finish: Gold Bronze

47.25"L • 47.25"W • 34.5"H • 74.25"OAH

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 5040

Dimmable: Standard

- Includes One 6" stem
(Order 6" stems: STR08706GB-MT)
- Includes Three 12" stems
(Order 12" stems: STR08712GB-MT)





43748CLGB



43741CLGB



43746CLGB

43748CLGB

8-Light Pendant

Finish: Gold Bronze

33.5"L • 33.5"W • 27"H • 65.25"OAH

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 2240

Dimmable: Standard

- Includes One 6" stem
(Order 6" stems: STR08706GB-MT)
- Includes Three 12" stems
(Order 12" stems: STR08712GB-MT)



43746CLGB

6-Light Pendant

Finish: Gold Bronze

41.75"L • 20"W • 26.75"H • 66.5"OAH

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 1680

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR08706GB-MT)
- Includes Six 12" stems
(Order 12" stems: STR08712GB-MT)



43741CLGB

1-Light Wall Sconce

Finish: Gold Bronze

5"W • 19"H • 8"Ext.

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 280

Dimmable: Standard





SILHOUETTE

Collection

Minimalistic metal forms in Textured Black beautifully frame Beveled Crystal pendants. The crystals come to life when illuminated by LED concealed in the supporting cast cups. A perfect combination of simplicity and elegance.

SILHOUETTE Collection

- Open frame cage in Textured Black finish
- Custom crystal pendants illuminated by hidden LED source
- 3000K Color Temperature, dimmable



21044BCTXB

4-Light Pendant

Finish: Textured Black

19.75"L • 19.75"W • 11.5"H • 62.25"OAH

Bulb Type: LED (Integrated)

Max Wattage: 12

Lumens: 840

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems
(Order 12" stems: STR05012TXB-SG)



SILHOUETTE

Collection

LED



21046BCTXB

4-Light Pendant

Finish: Textured Black

34.5"L • 13.75"W • 11.5"H • 62.25"OAH

Bulb Type: LED (Integrated)

Max Wattage: 12

Lumens: 840

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems
(Order 12" stems: STR05012TXB-SG)



SILHOUETTE Collection

- Open frame cage in Textured Black finish
- Custom crystal pendants illuminated by hidden LED source
- 3000K Color Temperature, dimmable



21043BCTXB

3-Light Pendant

Finish: Textured Black

21.25"L • 18.5"W • 25"H • 75"OAH

Bulb Type: LED (Integrated)

Max Wattage: 9

Lumens: 630

Dimmable: Standard

- Includes Two 6" stems (Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems (Order 12" stems: STR05012TXB-SG)



21041BCTXB

1-Light Pendant

Finish: Textured Black

12"L • 12"W • 11.5"H • 62.25"OAH

Bulb Type: LED (Integrated)

Max Wattage: 3

Lumens: 210

Dimmable: Standard

- Includes Two 6" stems (Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems (Order 12" stems: STR05012TXB-SG)



LUCID

Collection

Drum shades constructed from two layers of sheer Organza fabric laminated to a clear inner liner, allows light to shine out as well as down. White glass cylinder shades diffuse light and conceal the light source. Available in your choice of 2 finish combinations, Silver Sheer shade on Satin Nickel and Tan Sheer shade on Oil Rubbed Bronze.



24550TSOI



24559SSSN



24555SSSN

24555 SSSN, TSOI
5-Light Pendant
26"W • 24"H
Bulb Type: MB, Incan.
Max Wattage: 60

24550 SSSN, TSOI
4-Light Semi-Flush Mount
18"W • 14.5"H
Bulb Type: MB, Incan.
Max Wattage: 60

24559 SSSN, TSOI
2-Light Wall Sconce
14"W • 10.5"H • 7"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60

LUCID

Collection

- Sheer Organza shades veil
white glass cylinder shades
- 2 finish combinations:
Silver Sheer/Satin Nickel and
Tan Sheer/Oil Rubbed Bronze



24557 SSSN, TSOI
6-Light Pendant
18"W • 40"H
Bulb Type: MB, Incan.
Max Wattage: 60





TRIBECA

Collection

This urban lifestyle design features square shades of Linen with a coffee color trim mounted onto a metal frame finished in Dark Bronze. LED downlights are mounted in the bottom of the frame as well as replaceable LED bulbs inside the shade.

- Square shades of linen with a coffee color trim
- Metal frame finished in Dark Bronze
- Features LED downlights mounted on the bottom of the frame
- Replaceable, GU24 LED lamps included
- 3000K Color Temperature
- CRI 90

TRIBECA Collection



• Includes LED GU24 bulbs, see pages 143-145 for information



43813LNDBZ

3-Light Pendant

Finish: Dark Bronze

35.5"L • 9.75"W • 9"H • 44.75"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 2940

Dimmable: Standard



43814LNDBZ

4-Light Pendant

Finish: Dark Bronze

46"L • 9.75"W • 9"H • 44.75"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 3920

Dimmable: Standard



All items on this page come with:

- Includes Two 6" stems
(Order 6" stems: STR06206DBZ-MT)
- Includes Six 12" stems
(Order 12" stems: STR06212DBZ-MT)

HENNESY

Collection

This large scale collection features Chocolate Sheer organza fabric over an off-white interior shade for a unique 3 dimensional look. The heavy weight steel frame is finished in Oil Rubbed Bronze which enhances the color of the shade. Whether it is a board room, lobby, or large dining area, the Hennesy is a perfect fit.



43446CSOI

8-Light Pendant

Finish: Oil Rubbed Bronze

41.25"W • 17.5"H • 49.5"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR08706OI-MT)
- Includes Six 12" stems
(Order 12" stems: STR08712OI-MT)



HENNESY Collection

- Sheer chocolate organza fabric
- Off white interior shades
- Heavy weight steel frame finished in Oil Rubbed Bronze
- 3000K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,
see pages 143-145 for information



43444CSOI

8-Light Pendant

Finish: Oil Rubbed Bronze

31.5"W • 14"H • 48.75"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR08706OI-MT)
- Includes Six 12" stems
(Order 12" stems: STR08712OI-MT)



43441CSOI

2-Light Wall Mount

Finish: Oil Rubbed Bronze

13.75"W • 12.25"H • 8"Ext.

Bulb Type: GU24 LED (Included)


Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 1260

Dimmable: Standard





ESQUIRE

Collection

Classic straight lines and large scale makes this collection an excellent candidate for light commercial applications. Dual LED downlights are encased in each rectangular font which is finished in a dark Bronze and contrasted nicely with a soft white Linen shade. This collection is 100% LED for low maintenance and energy efficiency.



43667LNDBZ

8-Light Pendant

Finish: Dark Bronze

24.75"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5740

Dimmable: Standard



ESQUIRE Collection

- Soft White Linen shade
- Dual LED downlights encased in a Dark Bronze rectangular font
- 3000K Color Temperature
- CRI 90+
- GU24, LED lamps included
- 100% LED for low maintenance



• Includes LED GU24 bulbs, see pages 143-145 for information



43666LNDBZ

43666LNDBZ

12-Light Pendant

Finish: Dark Bronze

63"L • 13.75"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 8610

Dimmable: Standard



43664LNDBZ

43664LNDBZ

8-Light Pendant

Finish: Dark Bronze

47.25"L • 13.75"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5740

Dimmable: Standard



43668LNDBZ

43668LNDBZ

12-Light Pendant

Finish: Dark Bronze

41.25"L • 26.5"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 8610

Dimmable: Standard



All items on pages 47-48 come with:

- Includes Two 6" stems
(Order 6" stems: STR06206DBZ-MT)
- Includes Six 12" stems
(Order 12" stems: STR06212DBZ-MT)



BALDWIN

Collection

Rectangular shades of white Linen float on a frame of Dark Bronze to create a soft contemporary design that fit a wide range of interiors. With an LED light source, this collection is perfect for light commercial as well as residential applications.



43556LNDBZ



43556LNDBZ

6-Light Pendant

Finish: Dark Bronze

35.5"W • 12"H • 131"OAH

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 3780

Dimmable: Standard



BALDWIN Collection

- White linen rectangle shades
- Dark Bronze metal frame
- GU24 LED lamps included
- Perfect for commercial or residential applications
- 3000K Color Temperature
- CRI 90



• Includes LED GU24 bulbs, see pages 143-145 for information



43558LNDBZ



43551LNDBZ

43551LNDBZ

1-Light Wall Mount
 Finish: Dark Bronze
10"W • 11.75"H • 9"Ext.
 Bulb Type: GU24 LED (Included)
 Bulb: BUL-9W-GU24-FT-120V-830
 Max Wattage: 9
 Lumens: 630
 Dimmable: Standard



43558LNDBZ

8-Light Pendant
 Finish: Dark Bronze
47.25"W • 12"H • 131"OAH
 Bulb Type: GU24 LED (Included)
 Bulb: BUL-9W-GU24-FT-120V-830
 Max Wattage: 9
 Lumens: 5040
 Dimmable: Standard





COCOON

Collection

A web of fiberglass is bonded together with latex and stretched over steel frames creating a 1950's contemporary design. When illuminated, the fiber shows through the soft fabric and adds texture to this unique look.

COCOON Collection

- *Soft fabric for textured unique look*
- *Incandescent*



12190WTPC
1-Light Pendant
Finish: Polished Chrome
25"W • 10"H • 130"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



COCOON Collection



12189WTPC



12186WTPC



12188WTPC



12187WTPC

12189WTPC

1-Light Pendant
Finish: Polished Chrome
19"W • 15.75"H • 138"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12188WTPC

1-Light Pendant
Finish: Polished Chrome
13"W • 21.25"H • 141"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12186WTPC

1-Light Pendant
Finish: Polished Chrome
15.25"W • 11"H • 131"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12187WTPC

1-Light Pendant
Finish: Polished Chrome
19.25"W • 12"H • 131.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



COCOON Collection

- Soft fabric for textured unique look
- Incandescent



12181WTPC



12185WTPC



12184WTPC



12183WTPC

12181WTPC
1-Light Pendant
Finish: Polished Chrome
10.5"W • 14"H • 133.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12185WTPC
1-Light Pendant
Finish: Polished Chrome
16"W • 8"H • 127.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12184WTPC
1-Light Pendant
Finish: Polished Chrome
11"W • 22.25"H • 131.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12183WTPC
1-Light Pendant
Finish: Polished Chrome
8"W • 16"H • 135.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60





BALI

Collection

Spherical dual shades constructed of woven string in two-tone finish combinations, Natural with White inner and Chocolate with White inner. Shades are treated for weather resistance and are U.L. approved for damp location which make them perfect for outdoor living spaces.

BALI
Collection

- Dual shades constructed of woven strings
- Two options available in:
Natural/White inner shade or
Chocolate/White inner shade
- Treated for weather resistance
- Incandescent



14407 CHWT, NAWT

1-Light Pendant

23.5"W • 22.75"H • 145"OAH

Bulb Type: MB, Incan.

Max Wattage: 60



BALI

Collection

- *Dual shades constructed of woven strings*
- *Two options available in:
Natural/White inner shade or
Chocolate/White inner shade*
- *Treated for weather resistance*
- *Incandescent*



14405 CHWT, NAWT
1-Light Pendant
19.75"W • 19.25"H • 140"OAH
Bulb Type: MB, Incan.
Max Wattage: 60





14404 CHWT, NAWT
1-Light Pendant
20"W • 13.75"H • 134"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



14402 CHWT, NAWT
1-Light Pendant
15.75"W • 10"H • 131"OAH
Bulb Type: MB, Incan.
Max Wattage: 60





CRETE

Collection

Pendants molded in natural Gray finish concrete cement provide a unique urban contemporary design element. Metal Polished Chrome hardware contrasts beautifully with the black fabric covered wire. Powerful and efficient illumination is provided by the included GU10, 3000K LED bulbs.

CRETE Collection

- 3000K Color Temperature
- 8 size options
- CRI 80+



12396GYPC

1-Light Pendant
Finish: Polished Chrome

15.25"W • 15"H • 133"OAH

Bulb Type: PAR38 LED (Included)
Bulb: BUL-16W-PAR38-FT-120V-830
Max Wattage: 16
Lumens: 1120
Weight: 20.5 lbs
Dimmable: Standard



12397GYPC

1-Light Pendant
Finish: Polished Chrome

12"W • 11"H • 131"OAH

Bulb Type: PAR30 LED (Included)
Bulb: BUL-11W-PAR30-FT-120V-830
Max Wattage: 11
Lumens: 710
Weight: 9.25 lbs
Dimmable: Standard



12390GYPC

1-Light Pendant
Finish: Polished Chrome

7"W • 7"H • 125.5"OAH

Bulb Type: GU10 LED (Included)
Bulb: BUL-5W-GU10-FT-120V-830
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard



12399GYPC

4-Light Pendant
Finish: Polished Chrome

15.75"W • 12.75"H • 131.75"OAH

Bulb Type: GU10 LED (Included)
Bulb: BUL-5W-GU10-FT-120V-830
Max Wattage: 5
Lumens: 1120
Weight: 19.8 lbs
Dimmable: Standard



CRETE Collection


LED  



• Close up



12398GYPC



• View from top

• Adjustable

12393GYPC

1-Light Pendant

Finish: Polished Chrome

8"W • 7"H • 126.5"OAH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



12398GYPC

1-Light Pendant

Finish: Polished Chrome

8"W • 10"H • 129.5"OAH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



CRETE Collection

- 3000K Color Temperature
- 8 size options
- GU10 LED bulbs are included
- CRI 80+



12391GYPC

1-Light Pendant

Finish: Polished Chrome

6"W • 10.5"H • 130.25"OAH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



12392GYPC

1-Light Pendant

Finish: Polished Chrome

6"W • 10.75"H • 130.5"OAH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



12395GYPC

1-Light Pendant

Finish: Polished Chrome

7.5"W • 13"H • 132"OAH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 6.6 lbs

Dimmable: Standard



12394GYPC

1-Light Pendant

Finish: Polished Chrome

7.25"W • 13"H • 133"AOH

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



VINO

Collection

Bottle shaped pedants are created using a burgundy finished inner frame coated in a White acrylic material. When illuminated the burgundy shows through for that very VINO look. These pedants are suitable for damp locations and can be also installed as a three light cluster using the optional separator kit.

- Bottle shaped pendant finished with a burgundy inner frame
- White Acrylic material
- Can be installed as a three light cluster using our separator kit
- 2700K Color Temperature
- Suitable for damp locations
- GU24, Fluorescent bulbs included



12161WTWT

1-Light Pendant

Finish: White

4.75"W • 11.75"H • 134"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



12162WTWT

1-Light Pendant

Finish: White

6"W • 15.75"H • 138"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



12163WTWT

1-Light Pendant

Finish: White

8"W • 18.25"H • 140"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 18

Lumens: 1355



PENDANT SEPARATOR KIT

Using this kit you can create your own arrangement of cord hung pendants. Purchase any three Cocoon or Vino pendants and the kit to create your cascading design. Kit includes separator and three cord canopy.

• *Kit includes separator and three cord canopy*



12179PC
Pendant Frame
Finish: Polished Chrome
20"L • 17.75"W • 2"H
Sold Separately



• **12179PC**
(Shown with Cocoon Collection)



• **12179PC**
(Shown with Twisp Collection)



• **12179PC**
(Shown with Vino Collection)



HOTEL

Collection

Inspired design for hospitality and residences, this collection features white Wafer fabric shades and heavy Polished Chrome arms that characterize the quality of these products. Be it bedside or suspension, the sweeping, swinging, and adjustable light sources in this collection allow you to direct the light to your preference. All include LED lamping.

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+



- USB Port

60147WAPC

1-Light Table Lamp
Finish: Polished Chrome
22.75"L • 11"W • 19.75"/30.75"H
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 600

- Adjustable
- USB Port Included



60148WAPC

1-Light Table Lamp
Finish: Polished Chrome
32"L • 14.25"W • 28"/39"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable
- USB Port Included



60149WAPC

1-Light Floor Lamp
Finish: Polished Chrome
46.5"L • 14.25"W • 48"/73.25"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable



HOTEL Collection

LED 



60144WAPC



60139WAPC



60138WAPC



• USB Port

60138WAPC

1-Light Table Lamp
Finish: Polished Chrome
37.75"L • 11"W • 19"/31.5"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable
- USB Port Included



60144WAPC

2-Light Pendant
Finish: Polished Chrome
41.5"L • 11.75"W • 33"/49.5"H
Bulb Type: LED (Included)
Max Wattage: 32
Lumens: 2240

- Adjustable



60139WAPC


1-Light Floor Lamp
Finish: Polished Chrome
49.5"L • 11.75"W • 48"/74"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable



HOTEL Collection

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+



60143WAPC



60135WAPC

1-Light Pendant
Finish: Polished Chrome
26"L • 11"W • 24.5"/56.25"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable



60136WAPC

1-Light Pendant
Finish: Polished Chrome
63"L • 15.25"W • 35.5"/72.5"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable



60143WAPC

1-Light Pendant
Finish: Polished Chrome
36"L • 11.75"W • 33"/49.5"H
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 1120

- Adjustable



HOTEL Collection

LED



60132WAPC

1-Light Wall Sconce

Finish: Polished Chrome

9.75"W • 11.75/20.5"H • 30.25"Ext.

Bulb Type: LED (Included)

Max Wattage: 16

Lumens: 1120

- Adjustable



60133WAPC

1-Light Wall Sconce

Finish: Polished Chrome

11"W • 19.25/32.75"H • 47.25"Ext.

Bulb Type: LED (Included)

Max Wattage: 16

Lumens: 1120

- Adjustable



HOTEL Collection

- *White wafer fabric shades softly diffuse LED lamping provided.*
- *Heavy Polished Chrome arms suspend the shades*
- *3000K Color Temperature, Bulbs are CRI 90+*



60105BKPC

2-Light Wall Sconce
Finish: Black/Polished Chrome
6.25"W • 8.75"H • 3.25"Ext.
Bulb Type: LED (Included)
Max Wattage: 3+12
Lumens: 860

- Backlit



60100SV

1-Light Wall Sconce
Finish: Silver
4.75"W • 18.25"H • 1.5"Ext.
Bulb Type: LED (Included)
Max Wattage: 3
Lumens: 145



HOTEL

Collection

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+

LED 



60116WAPC



60112WAPC



60117WAPC

60112WAPC

2-Light Wall Sconce
Finish: Polished Chrome
8.5"W • 12.25"H • 10.5"Ext.
Bulb Type: LED (Included)
Max Wattage: 1 + 9
Lumens: 685



60116WAPC

1-Light Wall Sconce
Finish: Polished Chrome
8.5"W • 11.5"H • 3.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 600



60117WAPC

2-Light Wall Sconce
Finish: Polished Chrome
8.5"W • 11.5"H • 5"Ext.
Bulb Type: LED (Included)
Max Wattage: 1 + 9
Lumens: 685





60160WAPC



60120WAPC



60141WAPC



60130WAPC

60160WAPC

1-Light Wall Sconce
Finish: Polished Chrome
11"W • 17"H • 6.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 600



60141WAPC

1-Light Wall Sconce
Finish: Polished Chrome
9.75"W • 12.25"H • 12"Ext.
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 600



60120WAPC

2-Light Wall Sconce
Finish: Polished Chrome
11"W • 12"H • 7"Ext.
Bulb Type: LED (Included)
Max Wattage: 1 + 9
Lumens: 685



60130WAPC

1-Light Wall Sconce
Finish: Polished Chrome
9.25"W • 12.5"H • 15.25"Ext.
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 600



• Swing Arm



KARTIER

Collection

All the luxury of a diamond tennis bracelet in a functional light source. Zinc castings in Polished Chrome are complemented by your choice of cast links in Polished Brass and Beveled Crystal or, for a more contemporary look, Polished Chrome and chrome plated Crystal. Bring elegance to your home with this vanity redefined.

KARTIER Collection

- LED is encased in Zinc castings finished in Polished Chrome
- Zinc-cast links are finished in Polished Brass with Crystal or Chrome with chrome plated crystal
- 3000K Color Temperature, CRI 80+, dimmable



30161PC



30163PCPB



30165PC

30161 PC, PCPB

1-Light LED Bath Vanity
7.5"W • 5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 7.2
 Lumens: 500
 Dimmable: Standard



30163 PC, PCPB

3-Light LED Bath Vanity
22.25"W • 5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 21.6
 Lumens: 1500
 Dimmable: Standard



30165 PC, PCPB

5-Light LED Bath Vanity
37"W • 5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 36
 Lumens: 2500
 Dimmable: Standard





CURL

Collection

The curl of heavy Piastra glass is framed by Polished Chrome supports. Available in multiple configurations, this vanity is sure to make a statement in any environment, be it bath or corridor.

CURL Collection


- Heavy Piastra-style Rolled glass
- Polished Chrome metal supports
- 3000K Color Temperature
- CRI 90+, dimmable with ELV dimmer



39681RRPC



39683RRPC



39685RRPC

39681RRPC

1-Light LED Bath Vanity
 Finish: Polished Chrome
7"W • 5.5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 10
 Lumens: 680
 Dimmable: Standard



39683RRPC

3-Light LED Bath Vanity
 Finish: Polished Chrome
24"W • 5.5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 30
 Lumens: 2040
 Dimmable: Standard



39685RRPC

5-Light LED Bath Vanity
 Finish: Polished Chrome
41.25"W • 5.5"H • 3.25"Ext.
 Bulb Type: LED (Integrated)
 Max Wattage: 50
 Lumens: 3400
 Dimmable: Standard





TIER

Collection

Classic lines are enhanced with rings finished in Polished Chrome supporting Frosted Glass to create this transitional look.

TIER Collection

- Frosted glass supported by Polished Chrome rings
- Damp location rated



2131FTPC

1-Light Bath Vanity
Finish: Polished Chrome
4.75"W • 9.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



2132FTPC

2-Light Bath Vanity
Finish: Polished Chrome
14"W • 9.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



2133FTPC

3-Light Bath Vanity
Finish: Polished Chrome
22.5"W • 9.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



2134FTPC

4-Light Bath Vanity
Finish: Polished Chrome
30.75"W • 9.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



TRIM

Collection

A panel of clear glass with a frosted border is handsomely supported by cast clips of Satin Nickel and attached to a high powered LED frame creating an attractive and very functional vanity light. Also available in a complimentary ceiling model.

- Clear glass panel with a frosted border
- Satin Nickel cast clips
- High powered LED bulbs included
- 3000K Color Temperature
- CRI 90



87628CLFTSN



87622CLFTSN



87624CLFTSN



87626CLFTSN

87628CLFTSN

LED PCB Flush Mount
Finish: Satin Nickel
15"L • 15"W • 2.25"H
Bulb Type: LED PCB (Included)
Max Wattage: 20
Lumens: 1400
Dimmable: Standard



87622CLFTSN

LED PCB Bath Vanity
Finish: Satin Nickel
13"W • 5.5"H • 2"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 16
Lumens: 700
Dimmable: Standard



87624CLFTSN

LED PCB Bath Vanity
Finish: Satin Nickel
23"W • 5.5"H • 2"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 20
Lumens: 1400
Dimmable: Standard



87626CLFTSN

LED PCB Bath Vanity
Finish: Satin Nickel
32.75"W • 5.5"H • 2"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 30
Lumens: 2100
Dimmable: Standard





REMBRANT

Collection

This low profile picture frame vanity light features an aluminum extrusion finished in your choice of Polished Nickel or Anodized Bronze and an edge lit LED technology giving off even illumination and excellent color rendering.

- Edge lit LED technology
- Two finish options
- Aluminum frame finished in Polished Nickel or Anodized Bronze
- 3000K Color Temperature
- CRI 90

REMBRANT

Collection



39662 WTBRZ, WTPN
 LED PCB Wall Mount
18"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Included)
 Max Wattage: 16
 Lumens: 1120
 Dimmable: Standard



39664 WTBRZ, WTPN
 LED PCB Wall Mount
24"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Included)
 Max Wattage: 26
 Lumens: 1820
 Dimmable: Standard



39666 WTBRZ, WTPN
 LED PCB Wall Mount
30"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Included)
 Max Wattage: 30
 Lumens: 2100
 Dimmable: Standard




VISTA

Collection


A box of Clear glass surrounds an edge lit LED panel which is framed in Polished Chrome metal. The Clear glass is trimmed on both ends with heavy gauge metal caps. The edge lit panel provides even light distribution while maintaining a high lumen per watt ratio.



39628 CLPC, CLSN
LED PCB Flush Mount
10.75"L • 10.75"W • 2.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 24
Lumens: 1680
Dimmable: Standard




39629 CLPC, CLSN
LED PCB Flush Mount
16"L • 16"W • 2.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 32
Lumens: 2240
Dimmable: Standard




VISTA Collection

- Clean and simple Architectural Spec Grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90



39630CLPC

LED PCB Bath Vanity
Finish: Polished Chrome
10.25"W • 5.25"H • 2.5"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 12
Lumens: 840
Dimmable: Standard



39632CLPC

LED PCB Bath Vanity
Finish: Polished Chrome
26"W • 5.25"H • 2.5"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 32
Lumens: 2240
Dimmable: Standard



39634CLPC

LED PCB Bath Vanity
Finish: Polished Chrome
40"W • 5.25"H • 2.5"Ext.
Bulb Type: LED PCB (Included)
Max Wattage: 40
Lumens: 2280
Dimmable: Standard





PICAZZO

Collection

A Contemporary straight line design epitomizes modern art while producing generous amounts of color corrected light which makes for a perfect vanity selection. Choose between a high luster Polished Chrome or a more subdued Satin Nickel finish, you're sure to find a desired look for your room décor.

- Available finishes: Polished Chrome or Satin Nickel
- 3000K Color Temperature
- Dimmable LED bulbs included
- CRI 90

PICAZZO

Collection



39672 WTPC, WTSN
 LED PCB Wall Mount
18"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Integrated)
 Max Wattage: 16
 Lumens: 1120
 Dimmable: Standard




39674 WTPC, WTSN
 LED PCB Wall Mount
24"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Integrated)
 Max Wattage: 26
 Lumens: 1820
 Dimmable: Standard



39676 WTPC, WTSN
 LED PCB Wall Mount
30"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED PCB (Integrated)
 Max Wattage: 30
 Lumens: 2100
 Dimmable: Standard





VANITY

Collection

Crisp edges of stainless steel frame panes of etched acrylic that softly diffuse and conceal LED luminaries in a sleek, simple design.

VANITY Collection

- 110-277V input
- Stainless Steel frame
- Damp location rated
- CRI 90



55582WTSN

LED Bath Vanity
Finish: Satin Nickel
24.25"W • 5"H • 4"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 24
Lumens: 1680



55584WTSN

LED Bath Vanity
Finish: Satin Nickel
36"W • 5"H • 4"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 28
Lumens: 2000



55586WTSN

LED Bath Vanity
Finish: Satin Nickel
48.75"W • 5"H • 4"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 35
Lumens: 2500



ICE


Collection

Blocks of Piastra style Iceberg Glass sparkle and shimmer from the high powered LEDs concealed inside Polished Chrome metal supports. Not only is useful light directed down additional light is cast indirectly upwards providing the room with even and soft illumination.


- Blocks of Piastra-style Iceberg Glass
- Useful up light and additional down light
- Polished Chrome Metal Supports
- Title 24 Compliant
- 3000K Color Temperature
- CRI 90



39621IBPC



39622IBPC



39623IBPC



39624IBPC

39621IBPC

2-Light Bath Vanity
 Finish: Polished Chrome
9"W • 6"H • 3"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 14
 Lumens: 770
 Dimmable: Standard



39622IBPC

4-Light Bath Vanity
 Finish: Polished Chrome
19"W • 6"H • 3"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 29
 Lumens: 1595
 Dimmable: Standard



39623IBPC

6-Light Bath Vanity
 Finish: Polished Chrome
28"W • 6"H • 3"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 44
 Lumens: 2420
 Dimmable: Standard



39624IBPC

8-Light Bath Vanity
 Finish: Polished Chrome
37"W • 6"H • 3"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 61
 Lumens: 3355
 Dimmable: Standard



IMAGE

Collection

This contemporary design features a Clear heavy plate glass diffuser suspended in front of an edge lit panel finished in Satin Nickel. The ends of this diffuser extend beyond the LED panel to conceal the light source and bring attention to the beauty of the glass.



39635CLSN



39636CLSN



39638CLSN



39638CLSN

- Architectural Spec grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90

39635CLSN

LED Bath Vanity
 Finish: Satin Nickel
17.75"W • 5.75"H • 2.25"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 17
 Lumens: 935
 Dimmable: Standard



39636CLSN

LED Bath Vanity
 Finish: Satin Nickel
28"W • 5.75"H • 2.25"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 22
 Lumens: 1210
 Dimmable: Standard



39638CLSN

LED Bath Vanity
 Finish: Satin Nickel
36"W • 5.75"H • 2.25"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 32
 Lumens: 1760
 Dimmable: Standard





BEJEWEL

Collection

This unique bath vanity collection features Beveled Crystal shades placed in an alternating pattern on a round metal bar finished in Polished Nickel with Satin Nickel accents. The light supplied by the replaceable G9 LED bulbs is directed both up and down for even distribution.

BEJEWEL Collection

- Custom beveled crystals cause refracting light effect
- Two tone finish: Polished Nickel/Satin Nickel
- Replaceable Maxim G9 LED bulbs provided
- 3500K Color Temperature, CRI 90, dimmable



3035BCPNSN



3037BCPNSN



3039BCPNSN

3035BCPNSN

5-Light Bath Vanity
Finish: Polished Nickel/Satin Nickel
18.75"W • 5.5"H • 8.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 11.5
Lumens:1000
Dimmable: Standard



3037BCPNSN

7-Light Bath Vanity
Finish: Polished Nickel/Satin Nickel
26.25"W • 5.5"H • 8.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 16.1
Lumens:1400
Dimmable: Standard



3039BCPNSN

9-Light Bath Vanity
Finish: Polished Nickel/Satin Nickel
33.75"W • 5.5"H • 8.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 20.7
Lumens:1800
Dimmable: Standard





CONICAL

Collection

Conical collection's Satin White cone-shaped glass is supported by a sweeping rectangular tube arm finished in Polished Chrome or Satin Nickel. This interesting marriage between contemporary geometric shape and traditional styling is a unique addition to any bathroom.

CONICAL Collection

- *Finish: Polished Chrome or Satin Nickel*
- *Glass: Satin White*
- *Suitable for Damp Location*
- *Incandescent*
- *Standard Dimmable*



9011 SWPC, SWSN
1-Light Bath Vanity
4.25"W • 6.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



9012 SWPC, SWSN
2-Light Bath Vanity
13"W • 6.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



9013 SWPC, SWSN
3-Light Bath Vanity
19"W • 6.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60



9014 SWPC, SWSN
4-Light Bath Vanity
26.25"W • 6.5"H • 6.25"Ext.
Bulb Type: MB, Incan.
Max Wattage: 60

LINEAR LED

Collection

Commercial grade energy efficient lighting featuring linear frames of metal finished in Satin Nickel and etched opal glass over a multiple LED array to update an architecturally classic design.

LED 

55542WTSN

LED Flush Mount
Finish: Satin Nickel
12"W • 3.25"H
Bulb Type: LED (Integrated)
Max Wattage: 15
Lumens: 950



55543WTSN

LED Flush Mount
Finish: Satin Nickel
14"W • 3.25"H
Bulb Type: LED (Integrated)
Max Wattage: 20
Lumens: 1250



55544WTSN

LED Flush Mount
Finish: Satin Nickel
16"W • 4"H
Bulb Type: LED (Integrated)
Max Wattage: 23
Lumens: 1450



55546WTSN

LED Flush Mount
Finish: Satin Nickel
11.75"W • 4.25"H
Bulb Type: LED (Integrated)
Max Wattage: 15
Lumens: 1050

- Emergency Battery Backup



55548WTSN

LED Flush Mount
Finish: Satin Nickel
32"L • 18"W • 4.5"H
Bulb Type: LED (Integrated)
Max Wattage: 35
Lumens: 2500



LINEAR LED Collection

- 110-277V inputs available
- 3000K Color Temperature
- CRI 90



55532WTSN
LED Wall Mount
Finish: Satin Nickel
7"W • 10"H • 3.5"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 15
Lumens: 950



55540WTSN
LED Wall Mount
Finish: Satin Nickel
12"W • 6"H • 3"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 12
Lumens: 700



55534WTSN
LED Wall Mount
Finish: Satin Nickel
25"W • 6"H • 4.25"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 24
Lumens: 1500



55535WTSN
LED Wall Mount
Finish: Satin Nickel
36"W • 6"H • 4.5"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 28
Lumens: 1800



55536WTSN
LED Wall Mount
Finish: Satin Nickel
48"W • 6"H • 4.25"Ext.
Bulb Type: LED (Integrated)
Max Wattage: 35
Lumens: 2200



LINEAR EE

Collection

Linear EE collection's commercial grade energy efficient lighting features linear frames of metal finished in Satin Nickel and White acrylic diffusers. High Power Factor ballasts allow for commercial applications and the fluorescent light source ensure low maintenance and energy cost savings. Specific styles of Linear EE are also available with a LED light source in the Linear LED collection

- *Finish: Satin Nickel*
- *Glass: White*
- *2700K Color Temperature*
- *Fluorescent, GU24 Bulbs Included*

85550WTSN

1-Light Wall Mount

Finish: Satin Nickel

12"W • 6"H • 3"Ext.

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900

CA
T24



85550WTSN

85552WTSN

2-Light Flush Mount

Finish: Satin Nickel

12"W • 3.25"H

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 1800

CA
T24



85552WTSN

85553WTSN

2-Light Flush Mount

Finish: Satin Nickel

14"W • 3.25"H

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 18

Lumens: 2400

CA
T24



85553WTSN

85554WTSN

3-Light Flush Mount

Finish: Satin Nickel

16"W • 4"H

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 2700

CA
T24



85554WTSN

FLUX

Collection

Clean white opal glass is illuminated from a hidden LED light source. Handsome Satin Silver finishes pair well to create this commercial grade LED product.

- 3000K Color Temperature, dimmable LED
- CRI 90



55560SWSS



55562SWSS



55564SWSS

55560SWSS

LED Flush Mount
Finish: Satin Silver
7"W • 4"H
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 800
Dimmable: Standard



55564SWSS

LED Flush Mount
Finish: Satin Silver
11"W • 4"H
Bulb Type: LED (Included)
Max Wattage: 23
Lumens: 1300
Dimmable: Standard



55562SWSS

LED Flush Mount
Finish: Satin Silver
9"W • 4"H
Bulb Type: LED (Included)
Max Wattage: 20
Lumens: 1100
Dimmable: Standard



ESSENTIALS

Collection

Basic utility fixtures or Frost glass and White metal frames priced for budget applications where LED is very beneficial.

- 3000K Color Temperature
- CRI 90



55526FTSN

LED Flush Mount

Finish: Satin Nickel

16"W • 5"H

Bulb Type: LED (Included)

Max Wattage: 23

Lumens: 1500

Dimmable: Standard



55525FTSN

LED Flush Mount

Finish: Satin Nickel

12"W • 4"H

Bulb Type: LED (Included)

Max Wattage: 15

Lumens: 950

Dimmable: Standard



55510WTSN

LED Wall Mount

Finish: Satin Nickel

8"W • 8.25"H • 4"Ext.

Bulb Type: LED (Included)

Max Wattage: 9

Lumens: 400



DIVERSE


Collection

This very compact LED flush mount easily installs on any 3.25" octagon box and gives the look of a recessed trim. Constructed of die cast aluminum, this diverse luminaire is dimmable and also approved for wet location, so it can be used in virtually any ceiling application, including showers.

- For residential use only
- Suitable for Wet Locations



87610WTWT
87612WTWT



87610WTSN
87612WTSN



1.25"H

57615WTWT
57617WTWT



87610WTBZ
87612WTBZ

87610 WTBZ, WTSN, WTWT

LED Flush Mount

6.5"W • 1.5"H

Bulb Type: LED (Included)

Max Wattage: 8

Initial Lumens: 1000

Delivered Lumens: 700

3000K Color Temperature

CRI-80



87612 WTBZ, WTSN, WTWT

LED Flush Mount

6.5"W • 1.5"H

Bulb Type: LED (Included)

Max Wattage: 8

Initial Lumens: 800

Delivered Lumens: 600

3000K Color Temperature

CRI-90



57615WTWT

LED Flush Mount

Finish: White

7.5"W • 1.25"H

Bulb Type: LED (Included)

Max Wattage: 15

Initial Lumens: 1270

Delivered Lumens: 850

2700K Color Temperature

CRI-90



57617WTWT

LED Flush Mount

Finish: White

7.5"W • 1.25"H

Bulb Type: LED (Included)

Max Wattage: 15

Initial Lumens: 1280

Delivered Lumens: 800

3000K Color Temperature

CRI-90



MX-LD-AC

LED Disc

COUNTERMAX®

Like our MX-LD-R disc, this disc features two piece construction which allows for both surface mount or recessed installation. Unlike the LD-R the AC requires no driver for easier installation. These discs are available in your choice of Bronze, White, or Brushed Aluminum.

Features:

- Surfaced or recessed installation
- 2700K & 3000K color temperature 90 CRI
- Line voltage construction No driver required
- Die cast aluminum construction
- Aluminum heatsink
- Lightguard diffuser
- Linkable up to 20 discs
- 12" leads on both ends
- 12" and 24" connecting cord available
- Dimmable using electronic low voltage dimmer
- Not suitable for enclosed cabinets



53890AL



53890BRZ



53890WT



Recessed



Surface



53880AL
53882AL



53880BRZ
53882BRZ



53880WT
53882WT

53890 AL, BRZ, WT

Starter Kits

- Includes three AC LED Discs
- Includes one Power Cord (53885)

53880 AL, BRZ, WT

AC LED Disc

2.75"W • 1"H

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 400

- **3000K Color Temperature**

53882 AL, BRZ, WT

AC LED Disc

2.75"W • 1"H

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 400

- **2700K Color Temperature**



WT White



BK Black

Power Cord

53885 BK, WT

72"L

- Inline On/Off switch

Connecting Cord

12" **53886** BK, WT

24" **53887** BK, WT

A perfect world for under cabinet lighting. Our latest model features 2 color temperatures, warm white and white, both in a 90 CRI for accurate color rendering. Just adjust the switch on the unit to select the best light for your application. Soft and even light is produced using an indirect light design which eliminates spots on the counter surface. Easy to install and connects either end to end or by using the connecting cord included.

Features:

- Choice of 2700K or 3200K Color Temperature.
- CRI 90+
- 120 beam spread
- Dimmable using Electronic Low Voltage dimmer
- 50,000 hr. rated life
- 3/8" knockouts on back and bottom
- Romex connector included
- 9" connecting cord included
- Linkable end to end or with MX Interlink 4 cords
- Even light distribution with no counter spots



89982AL



89983WT




89984BZ



89985WT



89986AL



89988BZ



Bronze



Brushed Aluminum



White

42" LED Under Cabinet

89988 AL, BZ, WT
42"L • 3.25"W • 1.25"H
 Total Wattage: 28
 Initial Lumens: 1960

6" LED Under Cabinet

89982 AL, BZ, WT
6"L • 3.25"W • 1.25"H
 Total Wattage: 4
 Initial Lumens: 280

12" LED Under Cabinet

89983 AL, BZ, WT
12"L • 3.25"W • 1.25"H
 Total Wattage: 8
 Initial Lumens: 560

18" LED Under Cabinet

89984 AL, BZ, WT
18"L • 3.25"W • 1.25"H
 Total Wattage: 12
 Initial Lumens: 840

24" LED Under Cabinet

89985 AL, BZ, WT
24"L • 3.25"W • 1.25"H
 Total Wattage: 16
 Initial Lumens: 1120

30" LED Under Cabinet

89986 AL, BZ, WT
30"L • 3.25"W • 1.25"H
 Total Wattage: 20
 Initial Lumens: 1400



MXInterLink4 Connector Cord
 9" **87876 BK, WT**
 18" **87877 BK, WT**
 24" **87878 BK, WT**



Plastic Wire Clip
53255
 1"L • .5"W • .25"H



MXInterLink4 Power Cord
87880 BK, WT
 72"L



MXInterLink4 Direct Wire Box
87885 BK, WT
 6.5"L • 2.75"W • 1"H



OUTDOOR



WALL PAK

Collection



WALL PAK Collection

- Heavy Cast Construction
- Commercial Grade Light Engine
- ETL and DLC
- 110-277V Input



55557CLBZ



55555CLBZ



55550CLBK

55550CLBK

LED Outdoor Wall
Finish: Black
6"W • 10.5"H • 4.25"Ext.
HCO 5" • BP 5.75" x 10.25"H
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 900

- 3000K Color Temperature



55557CLBZ

LED Outdoor Wall
Finish: Bronze
14.5"W • 9.5"H • 7.5"Ext.
HCO 6" • BP 14.25" x 9"H
Bulb Type: LED (Included)
Max Wattage: 80
Lumens: 6800

- 5000K Color Temperature



55555CLBZ

LED Outdoor Wall
Finish: Bronze
13"W • 9"H • 7.5"Ext.
HCO 6" • BP 13.75" x 8.5"H
Bulb Type: LED (Included)
Max Wattage: 40
Lumens: 3400

- 5000K Color Temperature





BEDAZZLE

Collection

Polished rods are arranged in a creative pattern to create a unique lighting design. This oval shape fixture is available in two finish combinations, Textured Ebony with Polished Chrome rods and Galaxy Bronze with French Gold rods. The rods are supported using clear acrylic which allows for the LED light source to illuminate through the fixture and out the open bottom for excellent down light.

BEDAZZLE Collection



- Polished rods cross within oval Cast Aluminum shaped frame
- Available finish combinations: Textured Ebony/Polished Chrome and Galaxy Bronze/French Gold
- Clear acrylic diffuser for down lighting
- 3000K Color Temperature
- CRI 80+



53497CLTEPC



53495CLGBZFG



53499CLGBZFG

53497 CLGBZFG, CLTEPC
LED PCB Outdoor Wall
10.5"W • 14"H • 6.5"Ext.
HCO 6" • BP 4.75"W x 8.75"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB214
Max Wattage: 8.5+8.5
Lumens: 1190



53495 CLGBZFG, CLTEPC
LED PCB Outdoor Wall
10.5"W • 10.75"H • 6.5"Ext.
HCO 5" • BP 4.75"W x 5.5"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB214
Max Wattage: 4.5+4.5
Lumens: 630



53499 CLGBZFG, CLTEPC
LED PCB Outdoor Post
9"W • 16.25"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB214
Max Wattage: 10
Lumens: 700





VILLA

Collection

A ribbed glass diffuser glows in the night as it is illuminated by an energy efficient LED light source concealed in the hood. Available in two finish combinations Adobe with Topaz Ribbed and Anthracite with Clear Ribbed diffusers.

- Coordinating Ribbed Glass Diffuser is illuminated by hidden LED light source
- Finish combinations available:
Adobe/Topaz Ribbed and Anthracite/Clear Ribbed
- Clear Beveled Glass panels
- CRI 80+



85634CLTRAE



85632CLCRAR



85630CLCRAR

85634 CLTRAE, CLCRAR
LED PCB Outdoor Wall
10.5"W • 14.25"H • 6.25"Ext.
HCO 7.5" • BP 10.75"W x 14.5"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB224
Max Wattage: 10.8
Lumens: 800



85630 CLTRAE, CLCRAR
LED PCB Outdoor Post
9"W • 15.5"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB225
Max Wattage: 10
Lumens: 800



85632 CLTRAE, CLCRAR
LED PCB Outdoor Wall
9"W • 12.25"H • 4.75"Ext.
HCO 6" • BP 8.75"W x 12"H
Bulb Type: LED PCB (Integrated)
Bulb: PCB224
Max Wattage: 7
Lumens: 560



CASA GRANDE

Collection

Old World styling in a durable die cast aluminum finished in Anthracite creates a forged iron look with a modern twist. The rustic look of the metal contrasts nicely with the light effect of the ribbed Constellation glass.





CASA GRANDE

Collection

- Available in EE fluorescent  or Incandescent DC 
- Durable Die Cast Aluminum
- Anthracite finish contrasts with ribbed Constellation glass




 **83125CONAR**
 1-Light Outdoor Wall
 Finish: Anthracite
10"W • 21.25"H • 13.5"Ext.
 HCO 10.25" • BP 6"W x 10"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 18
 Lumens: 1260
 Die Cast Aluminum


 **3125CONAR**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Die Cast Aluminum




 **83123CONAR**
 1-Light Outdoor Wall
 Finish: Anthracite
8"W • 17"H • 10.75"Ext.
 HCO 8.5" • BP 5.25"W x 7.5"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 13
 Lumens: 910
 Die Cast Aluminum


 **3123CONAR**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Die Cast Aluminum




 **83120CONAR**
 1-Light Outdoor Post
 Finish: Anthracite
8"W • 19.25"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 13
 Lumens: 910
 Die Cast Aluminum

 **3120CONAR**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Die Cast Aluminum



 **83129CONAR**
 1-Light Outdoor Pendant
 Finish: Anthracite
10"W • 18.5"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 18
 Lumens: 1260
 Die Cast Aluminum

 **3129CONAR**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Die Cast Aluminum



MANDEVILLE

Collection

This stately design features a solid Beveled Crystal beacon which is illuminated from below creating a prestigious warm welcome. Encased in a classical traditional frame, finished in your choice of Galaxy Black or Galaxy Bronze, is a down light which creates a beautiful lighting effect.

MANDEVILLE Collection

- Traditional frame finished in Galaxy Black or Galaxy Bronze with Clear Beveled Glass panels
- Coordinating Stainless Steel panels reflect Large K9 Crystal
- Dimmable CRI 90 LED up light and down light
- Title 24 Compliant for Indoor Applications
- CRI 80+



53524 CLGBK, CLGBZ

LED PCB Outdoor Wall

7"W • 16"H • 7"Ext.

HCO 6" • BP 6.75"W x 11"H

Bulb Type: LED PCB (Included)

Max Wattage: 4.5+8.5

Lumens: 910



53526 CLGBK, CLGBZ

LED PCB Outdoor Wall

9"W • 18"H • 9.25"Ext.

HCO 7" • BP 8.75"W x 12.5"H

Bulb Type: LED PCB (Included)

Max Wattage: 8.5+8.5

Lumens: 1190





ARBOR

Collection

A sculpture of metal and Clear crystal leaves come to life while illuminated from above with a powerful LED light source. The cast aluminum frame painted in our popular Adobe finish compliments the theme and the polished back plate gives the sculpture a unique dimension.

ARBOR Collection

- *Crystal Leaves Sculpture is illuminated within lantern*
- *Clear Beveled Glass panels and Stainless Steel back panel*
- *Recessed LED light source in hood*
- *3000K Color Temperature*
- *CRI 80+*



53502CLAE

LED PCB Outdoor Wall
9"W • 13.75"H • 12"Ext.
HCO 5" • BP 4.5"W x 11.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 8.5
Lumens: 680



53504CLAE

LED PCB Outdoor Wall
11"W • 17"H • 14"Ext.
HCO 8" • BP 5.75"W x 14.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 8.5+8.5
Lumens: 1360



HOLMBY HILLS

Collection

- Solid K9 Beveled Crystal is supported by a classical Cast Aluminum frame
- Available in Textured Ebony or Metallic Bronze
- 3000K LED technology
- CRI 80+



Texture Ebony



Metallic Bronze

53487 BCMB, BCTE

LED Outdoor Wall

5"W • 10"H • 7"Ext.

HCO 4.5" • BP 5"W x 8.5"H

Bulb Type: LED (Included)

Max Wattage: 10

Lumens: 700





HOLMBY HILLS

Collection

If you are looking to make an impression this is the fixture for your home. Solid Beveled Crystal font is supported by a classical aluminum frame finished in Texture Ebony or Metallic Bronze. The high lumen LED light source brings the crystal to life as well as providing glare free illumination.



PILLAR

Collection


A solid column of clear bubble glass is supported by a cast aluminum base in your choice of Brushed Aluminum or Galaxy Black. With both up and down lights, this fixture is a visual statement and a very functional light source.

PILLAR Collection

- A singular, solid column of bubble glass supported by Cast Aluminum frame
- Available finishes of Brushed Aluminum and Galaxy Black
- Up and Down Lighting
- 3000K Color Temperature
- CRI 80+

FOR
WET
LOCATION

LED 



Brushed Aluminum



Galaxy Black

53685 CLAL, CLGBK

LED PCB Outdoor Wall

5"W • 11"H • 6.75"Ext.

HCO 6" • BP 5"W x 8.5"H

Bulb Type: LED PCB (Included)

Max Wattage: 10+10

Lumens: 1400



PIKE PLACE

Collection

A updated early electric style with a state of the art LED light engine creates a unique marriage of today and yesteryear. The hand blown Pellet glass, with its soft rounded form contrasts well with the straight edge back plate finished in Iron Ore for a rustic yet modern appeal.



PIKE PLACE

Collection

- Hand Blown Pellet glass diffuses LED light
- Straight Edged Cast Aluminum arm and back plate
- Available finish: Iron Ore
- 3000K Color Temperature
- CRI 80+



54384PLIO

LED PCB Outdoor Wall
Finish: Iron Ore
8"W • 18"H • 12.25"Ext.
HCO 7" • BP 6.5"W x 14"H
Bulb Type: LED PCB (Included)
Bulb: PCB137
Max Wattage: 8
Lumens: 560



54382PLIO

LED PCB Outdoor Wall
Finish: Iron Ore
7"W • 16.5"H • 11.75"Ext.
HCO 7" • BP 6.5"W x 14"H
Bulb Type: LED PCB (Included)
Bulb: PCB137
Max Wattage: 8
Lumens: 560



RUSTICA

Collection

This design was created with imperfections intentionally cast into the form to emulate the rustic look of original forged craftsmanship. The Rustic Bronze and Black Smith finishes heavy textures which contrasts well with the smooth rounded lines of the Fog glass. LED is cleverly concealed in the cap so that ample light is cast to the ground without the traditional glare of incandescent.



RUSTICA Collection

- *Rough Cast Aluminum fixture emulates Forged Craftsmanship*
- *Rustic Bronze finish with heavy texture contrasts smooth, rounded lines of glass*
- *Hidden LED light source in cap is diffused through Fog Glass removing glare*
- *3000K Color Temperature*
- *CRI 80+*



Rustic Bronze



Black Smith

54472 FGRUB, FGBS

LED PCB Outdoor Wall

8.25"W • 16.25"H • 13.5"Ext.

HCO 9" • BP 7"W x 7"H

Bulb Type: LED PCB (Included)

Bulb: PCB137

Max Wattage: 8

Lumens: 560





PACKS

Collection

A White acrylic diffuser is custom molded to fit a cast aluminum frame finished in a durable Metallic Bronze or Metallic Silver. A state of the art LED light engine provides years of economical service which makes this collection at home in either residential or light commercial applications.

PACKS Collection

- White acrylic diffuser custom fits Cast Aluminum frame
- Available finishes: Metallic Bronze and Metallic Silver
- Residential and Light Commercial Applications
- 3000K Color Temperature
- CRI 80+



53594WTMS



53592WTMB

53594 WTMB, WTMS

LED PCB Outdoor Wall
11"W • 20"H • 3.5"Ext.
 HCO 10" • BP 9.75"W x 18.25"H
 Bulb Type: LED PCB (Included)
 Bulb: PCB065
 Max Wattage: 32
 Lumens: 1680



53592 WTMB, WTMS


LED PCB Outdoor Wall
9.25"W • 10.25"H • 3"Ext.
 HCO 5.25" • BP 7.75"W x 9"H
 Bulb Type: LED PCB (Included)
 Bulb: PCB065
 Max Wattage: 19.2
 Lumens: 840



TOWNHOUSE

Collection

A open air frame of cast aluminum surrounds a stainless steel mesh diffuser which creates an unusual lighting effect as the LED light illuminates the inside. Finished in either Galaxy Black with a polished Stainless Steel mesh or Galaxy Bronze with Rose Gold, this transitional design looks great in a large variety of home designs.



TOWNHOUSE

Collection

- Open air frame with stainless steel mesh diffuser
- Available finish combinations:
Galaxy Black/Stainless Steel and Galaxy Bronze/Rose Gold
- Hidden 3000K LED light source
- CRI 80+



53599 GBKSST, GBZRG
LED Outdoor Wall
7"W • 16.5"H • 7"Ext.
HCO 7.5" • BP 6.75"W x 10.5"H
Bulb Type: LED (Included)
Max Wattage: 10
Lumens: 700



53597 GBKSST, GBZRG
LED Outdoor Wall
4.75"W • 12"H • 5"Ext.
HCO 6" • BP 4.75"W x 8"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 490





PAVILION

Collection


This classic design features indirect light from within the shade as well as direct down light through the clear acrylic diffuser. Durable die cast aluminum construction is available in your choice of Architectural Bronze or Black.

PAVILION Collection

- Classic shade design constructed in durable Cast Aluminum
- Indirect light from within shade and through clear acrylic diffuser below
- Available finishes: Architectural Bronze or Black
- CRI 80+



53512CLBK



53514CLABZ



53510BK

53512 CLABZ, CLBK
LED PCB Outdoor Wall
7"W • 8.5"H • 9.5"Ext.
HCO 5" • BP 5.25"W x 7.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 4.5 + 4.5
Lumens: 630



53510 ABZ, BK
LED PCB Outdoor Post
10"W • 11.5"H
Bulb Type: LED PCB (Included)
Max Wattage: 8.5
Lumens: 595



53514 CLABZ, CLBK
LED PCB Outdoor Wall
10"W • 12.25"H • 13.25"Ext.
HCO 7" • BP 6"W x 10"H
Bulb Type: LED PCB (Included)
Max Wattage: 8.5 + 8.5
Lumens: 1190



- Conical shade suspended by stainless steel cable
- Thick glass for better light distribution and effect
- High-powered Integrated LED with chip on board
- Dark sky certified
- 3000K Color Temperature
- CRI 85+



54364CLABZ



54362CLABZ



54360CLABZ

CIVIC

Collection

Conical shades finished in Architectural Bronze appear to be suspended by its stainless steel cable. Concealed inside these shades is a high powered COB LED which shines into a heavy Clear glass font. The bottom of these fonts have an additional thickness of glass for better light distribution and lighting effect.

54360CLABZ

LED Outdoor Wall
 Finish: Architectural Bronze
8"W • 10.5"H • 9.25"Ext.
 HCO: 5.75"
 Bulb Type: COB LED (Included)
 Max Wattage: 6
 Lumens: 420
 Dimmable: Standard



54362CLABZ

LED Outdoor Wall
 Finish: Architectural Bronze
10"W • 13.5"H • 11.5"Ext.
 HCO: 7.25"
 Bulb Type: COB LED (Included)
 Max Wattage: 11
 Lumens: 770
 Dimmable: Standard



54364CLABZ

LED Outdoor Wall
 Finish: Architectural Bronze
13.5"W • 18"H • 15.75"Ext.
 HCO: 7.25"
 Bulb Type: COB LED (Included)
 Max Wattage: 11
 Lumens: 770
 Dimmable: Standard



Now available with Frosted Dome Diffuser

- Dark Sky

CIVC
Collection



54365FTABZ



54361FTABZ



54363FTABZ



54367FTABZ

54361FTABZ

LED Outdoor Wall
 Finish: Architectural Bronze
7.75"W • 8.25"H • 9.5"Ext.
 HCO 2.75" • BP 4.25"W x 7.25"H
 Bulb Type: LED (Included)
 Max Wattage: 6
 Lumens: 726



54363FTABZ

LED Outdoor Wall
 Finish: Architectural Bronze
9.75"W • 10.25"H • 11.75"Ext.
 HCO 3" • BP 4.5"W x 9.25"H
 Bulb Type: LED (Included)
 Max Wattage: 11
 Lumens: 900



54365FTABZ

LED Outdoor Wall
 Finish: Architectural Bronze
13.5"W • 13.75"H • 15.75"Ext.
 HCO 4" • BP 5.75"W x 12.25"H
 Bulb Type: LED (Included)
 Max Wattage: 11
 Lumens: 900



54367FTABZ

LED Outdoor Pendant
 Finish: Architectural Bronze
9.75"W • 3.5"H • 48.75"OAH
 Bulb Type: LED (Included)
 Max Wattage: 11
 Lumens: 900

- Includes One 6" stem (Order 6" stems: STR06206ABZ-SM)
- Includes Three 12" stems (Order 12" stems: STR06212ABZ-SM)



PATH

Collection

Step and pathway lighting suitable for interior or exterior application. Designed to install into a single gang box and is line voltage so additional transformers are not needed. Available in Aluminum, White, Black, or Bronze and both horizontal wide beam or vertical narrow beam spread.



Aluminum

58000 AL, BK, BZ, WT

LED PCB Step Light

5"W • 3"H • 1.5"Ext.

Bulb Type: LED PCB (Included)


Bulb: PCB170

Max Wattage: 4

Lumens: 280



Black



Bronze



White

- Interior and Exterior Application
- LED PCBs Included
- 3000K Color Temperature
- CRI 80+



Bronze



Aluminum



Black



White

- Electric box included

58002 AL, BK, BZ, WT

LED PCB Step Light

3"W • 5"H • 1.5"Ext.

Bulb Type: LED PCB (Included)

Max Wattage: 4

Lumens: 280



White



Bronze



Aluminum

58006 AL, BZ, WT

LED Wall Mount

3.25"W • 3.25"H • 1.5"Ext.

Bulb Type: LED (Included)

Max Wattage: 2

Lumens: 140



Aluminum



Bronze



White

58004 AL, BZ, WT

LED Wall Mount

3.25"W • 3.25"H • 1.5"Ext.

Bulb Type: LED (Included)

Max Wattage: 2

Lumens: 140





LIGHTRAY LED

Collection

Indirect exterior lighting not only provides illumination where you want it but also highlights the building structure for a beautiful architectural effect. Our collection of up and down lighting fixtures are available in both Architectural Bronze and Brushed Aluminum. They are also available in both incandescent and LED. The fixtures are sealed with screw lenses that are water tight and allows, for the use of standard light bulbs.



86134 ABZ, AL
LED PCB Wall Sconce
4.75"W • 6.75"H • 6"Ext.
HCO: 2.75"
Bulb Type: LED PCB (Included)
Max Wattage: 6
Lumens: 420



86135 ABZ, AL
LED PCB Wall Sconce
4.75"W • 10.25"H • 6"Ext.
HCO: 5.25"
Bulb Type: LED PCB (Included)
Max Wattage: 6
Lumens: 840

• Up/down light



LIGHTRAY LED

Collection

- Removable water-tight lens
- Cast and Machine Aluminum construction
- 3000K Color Temperature
- CRI 80+



86138ABZ



86137ABZ



86131AL



86132AL

86138 ABZ, AL
LED PCB Wall Sconce
4.75"W • 13"H • 7"Ext.
HCO: 2.5"
Bulb Type: LED PCB (Included)
Max Wattage: 11
Lumens: 1540

- Up/down light



86131 ABZ, AL
LED PCB Wall Sconce
4.75"W • 5.25"H • 5"Ext.
HCO: 2.5"
Bulb Type: LED PCB (Included)
Max Wattage: 6
Lumens: 420



86137 ABZ, AL
LED PCB Wall Sconce
4.75"W • 8.25"H • 7"Ext.
HCO: 2.5"
Bulb Type: LED PCB (Included)
Max Wattage: 11
Lumens: 770



86132 ABZ, AL
LED PCB Wall Sconce
4.75"W • 6.75"H • 5"Ext.
HCO: 3.5"
Bulb Type: LED PCB (Included)
Max Wattage: 6
Lumens: 840

- Up/down light





MOON RAY

Collection

Crafted of 304 Grade Stainless steel and UV stabilized acrylic, Moon Ray offers a classic design thoughtfully engineered to withstand commercial uses indoors and outdoors. Advanced LED technology delivers high light output.

MOON RAY Collection

- 304 Grade Stainless Steel for Outdoor
- 110-277V input
- Wet location
- 3000K Color Temperature, CRI 80+



55538WTBZ
LED Outdoor Wall
Finish: Bronze
7"W • 10"H • 3.5"Ext.
HCO 3.5" • BP 4.25"W x 9.75"H
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 950



55571WTBZ

55571WTBZ
LED Outdoor Wall
Finish: Bronze
6"W • 12"H • 4"Ext.
HCO 6" • BP 5.25"W x 11"H
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 700



55573WTBZ

55573WTBZ
LED Outdoor Wall
Finish: Bronze
6"W • 18"H • 4"Ext.
HCO 9" • BP 5.25"W x 17"H
Bulb Type: LED (Included)
Max Wattage: 20
Lumens: 1050



55575WTBZ

55575WTBZ
LED Outdoor Wall
Finish: Bronze
6"W • 24"H • 4"Ext.
HCO 12" • BP 5.25"W x 23.25"H
Bulb Type: LED (Included)
Max Wattage: 23
Lumens: 1250



55577WTBZ

55577WTBZ
LED Outdoor Wall
Finish: Bronze
6"W • 30"H • 4"Ext.
HCO 15" • BP 5.25"W x 29"H
Bulb Type: LED (Included)
Max Wattage: 28
Lumens: 1450





WESTPORT DC


Collection

The Westport Collection of outdoor lighting fixtures gives you the ability to pierce the darkness, enhancing the look of your home. Designed in a Artesian Bronze finished and a Wisp glass, you are sure to gain that desire


WESTPORT DC Collection

- Available in EE fluorescent 
- or Incandescent DC 
- Die Cast Aluminum





 **84105WPAT**
 1-Light Outdoor Wall
 Finish: Artesian Bronze
13"W • 25"H • 16"Ext.
 HCO 10.5" • BP 6"W x 11.75"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 26
 Lumens: 1820
 Die Cast Aluminum





 **84109WPAT**
 2-Light Outdoor Flush Mount
 Finish: Artesian Bronze
13"W • 6.5"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 13
 Lumens: 1820
 Die Cast Aluminum




 **84102WPAT**
 1-Light Outdoor Wall
 Finish: Artesian Bronze
7"W • 12"H • 9"Ext.
 HCO 5.5" • BP 5"W x 7.75"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 13
 Lumens: 910
 Die Cast Aluminum

 **34205WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 100
 Lumens: 7000
 Die Cast Aluminum


 **34209WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Lumens: 8400
 Die Cast Aluminum

 **34202WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Lumens: 4200
 Die Cast Aluminum




 **84103WPAT**
 1-Light Outdoor Wall
 Finish: Artesian Bronze
9"W • 17.5"H • 11.5"Ext.
 HCO 7" • BP 5"W x 7.75"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 13
 Lumens: 910
 Die Cast Aluminum




 **84104WPAT**
 1-Light Outdoor Wall
 Finish: Artesian Bronze
10.5"W • 21"H • 14"Ext.
 HCO 8.5" • BP 6"W x 11.75"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 18
 Lumens: 1260
 Die Cast Aluminum





 **84107WPAT**
 1-Light Outdoor Pendant
 Finish: Artesian Bronze
10.5"W • 21.5"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 18
 Lumens: 1260
 Die Cast Aluminum




 **84100WPAT**
 1-Light Outdoor Post
 Finish: Artesian Bronze
10.5"W • 23"H
 Bulb Type: GU24, Fluo. (Included)
 Max Wattage: 18
 Lumens: 1260
 Die Cast Aluminum

 **34203WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 60
 Lumens: 4200
 Die Cast Aluminum

 **34204WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 100
 Lumens: 7000
 Die Cast Aluminum

 **34207WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 100
 Lumens: 7000
 Die Cast Aluminum

 **34200WPAT**
 Bulb Type: MB, Incan.
 Max Wattage: 100
 Lumens: 7000
 Die Cast Aluminum














INDEX


2131.....	78	21043.....	40	38383.....	15
2132.....	78	21044.....	38	38384.....	16
2133.....	78	21046.....	38	38385.....	15
2134.....	78	24550.....	41	38386.....	15
3035.....	92	24555.....	41	38387.....	15
3037.....	92	24557.....	42	38482.....	14
3039.....	92	24559.....	41	38483.....	14
3120.....	112	24720.....	20	38484.....	13
3123.....	112	24722.....	20	38485.....	14
3125.....	112	24725.....	19	38486.....	14
3129.....	112	24727.....	18	38487.....	14
9011.....	94	25140.....	8	39102.....	28
9012.....	94	25142.....	8	39104.....	27
9013.....	94	25144.....	7	39108.....	26
9014.....	94	25145.....	7	39621.....	89
12161.....	63	25147.....	8	39622.....	89
12162.....	63	30161.....	74	39623.....	89
12163.....	63	30163.....	74	39624.....	89
12179.....	64	30165.....	74	39628.....	83
12181.....	54	30240.....	24	39629.....	83
12183.....	54	30242.....	24	39630.....	84
12184.....	54	30243.....	23	39632.....	84
12185.....	54	30245.....	22	39634.....	84
12186.....	53	30247.....	24	39635.....	90
12187.....	53	30251.....	4	39636.....	90
12188.....	53	30253.....	1	39638.....	90
12189.....	53	30255.....	2	39662.....	82
12190.....	52	30257.....	3	39664.....	82
12390.....	60	30259.....	4	39666.....	82
12391.....	62	32512.....	10	39672.....	86
12392.....	62	32514.....	10	39674.....	86
12393.....	61	32516.....	9	39676.....	86
12394.....	62	34200.....	140	39681.....	76
12395.....	62	34202.....	140	39683.....	76
12396.....	60	34203.....	140	39685.....	76
12397.....	60	34204.....	140	43441.....	46
12398.....	61	34205.....	140	43444.....	46
12399.....	60	34207.....	140	43446.....	45
14402.....	58	34209.....	140	43551.....	50
14404.....	58	35040.....	32	43556.....	49
14405.....	57	35041.....	32	43558.....	50
14407.....	56	35043.....	31	43664.....	48
20923.....	12	35044.....	31	43666.....	48
20925.....	12	35046.....	30	43667.....	47
20927.....	11	35047.....	30	43668.....	48
21041.....	40	38382.....	15	43741.....	36

INDEX

43746.....	36	55538.....	138	83120.....	112
43747.....	34	55540.....	96	83123.....	112
43748.....	36	55542.....	95	83125.....	112
43749.....	35	55543.....	95	83129.....	112
43813.....	44	55544.....	95	84100.....	140
43814.....	44	55546.....	95	84102.....	140
53255.....	102	55548.....	95	84103.....	140
53487.....	117	55550.....	106	84104.....	140
53495.....	108	55555.....	106	84105.....	140
53497.....	108	55557.....	106	84107.....	140
53499.....	108	55560.....	98	84109.....	140
53502.....	116	55562.....	98	85550.....	97
53504.....	116	55564.....	98	85552.....	97
53510.....	130	55571.....	138	85553.....	97
53512.....	130	55573.....	138	85554.....	97
53514.....	130	55575.....	138	85630.....	110
53524.....	114	55577.....	138	85632.....	110
53526.....	114	55582.....	88	85634.....	110
53592.....	126	55584.....	88	86131.....	136
53594.....	126	55586.....	88	86132.....	136
53597.....	128	57615.....	100	86134.....	135
53599.....	128	57617.....	100	86135.....	135
53685.....	120	58000.....	133	86137.....	136
53880.....	101	58002.....	134	86138.....	136
53882.....	101	58004.....	134	87610.....	100
53885.....	101	58006.....	134	87612.....	100
53886.....	101	60100.....	70	87622.....	80
53887.....	101	60105.....	70	87624.....	80
53890.....	101	60112.....	71	87626.....	80
54360.....	131	60116.....	71	87628.....	80
54361.....	132	60117.....	71	87876.....	102
54362.....	131	60120.....	72	87877.....	102
54363.....	132	60130.....	72	87878.....	102
54364.....	131	60132.....	69	87880.....	102
54365.....	132	60133.....	69	87885.....	102
54367.....	132	60135.....	68	89982.....	102
54382.....	122	60136.....	68	89983.....	102
54384.....	122	60138.....	67	89984.....	102
54472.....	124	60139.....	67	89985.....	102
55510.....	99	60141.....	72	89986.....	102
55525.....	99	60143.....	68	89988.....	102
55526.....	99	60144.....	67	90240.....	23
55532.....	96	60147.....	66	94720.....	19
55534.....	96	60148.....	66		
55535.....	96	60149.....	66		
55536.....	96	60160.....	72		

LEGEND


-  ADA Compliant
-  Conversion Kit
-  Diffuser Available
-  Energy Efficient
-  CFL Fluorescent
-  For Damp Location
-  For Wet Location
-  Incandescent
-  Installs on Slope Ceiling
-  Installs Up or Down
-  LED
-  LED
-  LED Dimmer

 Energy Star Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy of traditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at energystar.gov.

 Dimmable

Dimmable using standard dimmer. Lutron® CL dimmers are recommended

 California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.
















Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.














CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2016 Maxim Lighting International, Inc. All Rights Reserved. Printed in China

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUCF-FT18-2G11-830	CF	2G11	18	18W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-FT36-2G11-830	CF	2G11	36	36W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-CFQ13-G24Q-1-827	CF	G24q-1	13	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
	BUCF-CFQ18-G24Q-2-827	CF	G24q-2	18	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
	BUCF-CFQ26-G24Q-3-827	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
	BUCF-CFQ26-G24Q-3-830	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
	BUCF-CFQ13-GX23-2-827	CF	GX23-2	13	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
	BUF-SP13-GU24-827	F	GU24	13	13W FL Spiral GU24 Bulb 2700K
	BUF-SP18-GU24-827	F	GU24	18	18W FL Spiral GU24 Bulb 2700K
	BUF-SP26-GU24-827	F	GU24	26	26W FL Spiral GU24 Bulb 2700K
	BUF-SPLP13-GU24-827	F	GU24	13	13W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-SPLP18-GU24-827	F	GU24	18	18W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-F13T5-831	F	T5	13	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
	BUF-F16T5-831	F	T5	16	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
	BUF-F21T5-827	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
	BUF-F21T5-830	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
	BUF-F24T5-835	F	T5	24	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
	BUF-F26T5-831	F	T5	26	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
	BUF-F39T5-835	F	T5	39	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
	BUF-F8T5-831	F	T5	8	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
	BUF-FC8T9-WW	F	T9	22	22W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC12T9-WW	F	T9	32	32W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC16T9-WW	F	T9	40	40W FL T9 Circline 4 Pin Bulb 3100K
	BUH-50W-PAR20-FL-CL-120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BUH-35W-GU10-CL-120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BUH-50W-GU10-CL-120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear
	BUI-40W-T10-E26-IF-120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-T10-E26-IF-120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-ST64-E26-CL-120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BUL-4W-E12-T-CL-120V-827	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BUL-.2W-G3-CL-12V	L	G3	0.2	.2W LED G3 12V 3500K Bulb Clear
	BUL-1.5W-G4-CL-12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BUL-2.3W-G9-CL-120V-835	L	G9	2.3	2.3W LED G9 3500K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-827	L	G9	2.9	2.9W LED G9 2700K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-835	L	G9	2.9	2.9W LED G9 3500K 120V Bulb Clear

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUL-5W-GU10-FT-120V-830	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear
	BUL-11W-GU24-CL-120V-830	L	GU24	11	11W LED GU24 3000K 120V Clear
	BUL-7W-GU24-CL-120V-830	L	GU24	7	7W LED GU24 3000K 120V Clear
	BUL-9W-GU24-FT-120V-830	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BUL-3W-MR11-CL-12V	L	Mr11	3	3W LED MR11 12V 3000K Bulb Clear
	BUL-3W-MR16-FL-CL-12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BUL-7W-MR16-FL-CL-12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BUL-11W-PAR30-CL-120V-830	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BUL-16W-PAR38-CL-120V-830	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BUX-10W-G4-CL-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-10W-G4-FT-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-20W-G4-CL-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-20W-G4-FT-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-35W-G4-CL-12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-35W-G6.35-CL-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-35W-G6.35-FT-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-50W-G6.35-CL-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-50W-G6.35-FT-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-20W-G8-CL-120V	X	G8	20	20W Xenon Bi-Pin G8 120V Bulb Clear
	BUX-25W-G9-CL-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-25W-G9-FT-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-40W-G9-CL-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-40W-G9-FT-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-50W-G9-CL-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-50W-G9-FT-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-18W-WEDGE-CL-12V	X	WEDGE	18	18W Xenon Xelogen Wedge 12V Bulb Clear

Bulb Type Glossary

CF - Compact Fluorescent
 F - Fluorescent
 H - Halogen

I - Incandescent
 L - LED
 X - Xenon

REPLACEMENT BULBS

Type	Base	Watts	Item	Description
CF	2G11	18	BUCF-FT18-2G11-830	18W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	2G11	36	BUCF-FT36-2G11-830	36W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	G24q-1	13	BUCF-CFQ13-G24Q-1-827	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
CF	G24q-2	18	BUCF-CFQ18-G24Q-2-827	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-827	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-830	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
CF	GX23-2	13	BUCF-CFQ13-GX23-2-827	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
F	GU24	13	BUF-SP13-GU24-827	13W FL Spiral GU24 Bulb 2700K
F	GU24	13	BUF-SPLP13-GU24-827	13W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SP18-GU24-827	18W FL Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SPLP18-GU24-827	18W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	26	BUF-SP26-GU24-827	26W FL Spiral GU24 Bulb 2700K
F	T5	13	BUF-F13T5-831	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
F	T5	16	BUF-F16T5-831	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
F	T5	21	BUF-F21T5-827	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
F	T5	21	BUF-F21T5-830	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
F	T5	24	BUF-F24T5-835	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
F	T5	26	BUF-F26T5-831	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
F	T5	39	BUF-F39T5-835	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
F	T5	8	BUF-F8T5-831	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
F	T9	22	BUF-FC8T9-WW	22W FL T9 Circline 4 Pin Bulb 2700K
F	T9	32	BUF-FC12T9-WW	32W FL T9 Circline 4 Pin Bulb 2700K
F	T9	40	BUF-FC16T9-WW	40W FL T9 Circline 4 Pin Bulb 3100K
H	E26	50	BUH-50W-PAR20-FL-CL-120V	50W Halogen PAR20 120V Bulb Clear
H	GU10	35	BUH-35W-GU10-CL-120V	35W Halogen GU10 110-130V Bulb Clear
H	GU10	50	BUH-50W-GU10-CL-120V	50W Halogen GU10 110-130V Bulb Clear
I	E26	40	BUI-40W-T10-E26-IF-120V	40W Incandescent MB T10 120V Bulb Inside Frost
I	E26	60	BUI-60W-ST64-E26-CL-120V	60W Incandescent MB ST64 120V Bulb Clear
I	E26	60	BUI-60W-T10-E26-IF-120V	60W Incandescent MB T10 120V Bulb Inside Frost
L	E12	4	BUL-4W-E12-T-CL-120V-827	LED Filament 4W E12 Candelabra 2700K
L	G3	0.2	BUL-.2W-G3-CL-12V	.2W LED G3 12V 3500K Bulb Clear
L	G4	1.5	BUL-1.5W-G4-CL-12V	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
L	G9	2.3	BUL-2.3W-G9-CL-120V-830	2.3W LED G9 3000K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-827	2.9W LED G9 2700K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-835	2.9W LED G9 3500K 120V Bulb Clear
L	GU10	4	BUL-4W-GU10-CL-120V	4W Dimmable LED GU10 3500K 120V Bulb Clear
L	GU10	5	BUL-5W-GU10-FT-120V-830	5W Dimmable LED GU10 3000K 120V Bulb Clear
L	GU24	11	BUL-11W-GU24-CL-120V-830	11W LED GU24 3000K 120V Clear
L	GU24	7	BUL-7W-GU24-CL-120V-830	7W LED GU24 3000K 120V Clear
L	GU24	9	BUL-9W-GU24-FT-120V-830	9W Dimmable LED GU24 3000K 120V Bulb Frosted
L	MR11	3	BUL-3W-MR11-CL-12V	3W LED MR11 12V 3000K Bulb Clear
L	MR16	3	BUL-3W-MR16-FL-CL-12V	3W LED MR16 3000K 12V Bulb Clear
L	MR16	7	BUL-7W-MR16-FL-CL-12V	7W LED MR16 3000K 12V Clear
L	PAR30	11	BUL-11W-PAR30-CL-120V-830	11W Dimmable LED PAR30 3000K 120V
L	PAR38	16	BUL-16W-PAR38-CL-120V-830	16W Dimmable LED PAR38 3000K 120V
X	G4	10	BUX-10W-G4-CL-12V	10W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	10	BUX-10W-G4-FT-12V	10W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	20	BUX-20W-G4-CL-12V	20W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	20	BUX-20W-G4-FT-12V	20W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	35	BUX-35W-G4-CL-12V	35W Xenon Bi-Pin G4 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-CL-12V	35W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-FT-12V	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G6.35	50	BUX-50W-G6.35-CL-12V	50W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	50	BUX-50W-G6.35-FT-12V	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G8	20	BUX-20W-G8-CL-120V	20W Xenon Bi-Pin G8 120V Bulb Clear
X	G9	25	BUX-25W-G9-CL-120V	25W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	25	BUX-25W-G9-FT-120V	25W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	40	BUX-40W-G9-CL-120V	40W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	40	BUX-40W-G9-FT-120V	40W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	50	BUX-50W-G9-CL-120V	50W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	50	BUX-50W-G9-FT-120V	50W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	60	BUX-60W-G9-CL-120V	60W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	60	BUX-60W-G9-FT-120V	60W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	75	BUX-75W-G9-CL-120V	75W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	75	BUX-75W-G9-FT-120V	75W Xenon Bi-Pin G9 120V Bulb Frosted
X	WEDGE	18	BUX-18W-WEDGE-CL-12V	18W Xenon Xelogen Wedge 12V Bulb Clear

FINISH

ABZ	Architectural Bronze
ACP	Antique Copper
AE	Adobe
AL	Brushed Aluminum
AP	Antique Pecan
AR	Anthracite
AT	Artesian Bronze
BK	Black
BRZ	Anodized Bronze
BS	Black Smith
BU	Burnished
BW	Barn Wood
BY	Bay
BZ	Bronze
CH	Chocolate
CR	Clear Ribbed
DBZ	Dark Bronze
FG	French Gold
GB	Gold Bronze
GBK	Galaxy Black
GBZ	Galaxy Bronze
IO	Iron Ore
LB	Luster Bronze
MB	Metallic Bronze
MS	Matte Silver
NA	Natural
OB	Oriental Bronze
OI	Oil Rubbed Bronze
PB	Polished Brass
PC	Polished Chrome
PD	Platinum Dusk
PL	Platinum
PN	Polished Nickel
RG	Rose Gold
RP	Rust Patina
RUB	Rustic Bronze
SE	Sienna
SN	Satin Nickel
SS	Satin Silver
SST	Stainless Steel
SSSN	Satin Sheer/Satin Nickel
SV	Silver
SW	Senora Wood
TE	Texture Ebony
TR	Topaz Ribbed
TSOI	Tan Sheer/Oil Rubbed Bronze
TXB	Textured Black
WT	White














GLASS STYLES


BC	Beveled Crystal
BG	Bubble Glass
CD	Seedy
CG	Cognac
CL	Clear
CON	Constellation
CRY	Crystalline
FC	Frosted Seedy
FG	Fog
FS	Frosted Seedy
FT	Frosted
GF	Golden Frost
HO	Honey
IB	Iceburg
IC	Ice
JC	Flambe Crystal
LA	Lace
LT	Latte
MC	Mocha Cloud
MO	Mocha
PL	Pellet
RR	Plastra Rolled
SF	Snow Flake
SH	Scotch Crystal
SW	Satin White
WF	Weathered Frost
WG	Waterglass
WP	Wisp
WS	Wilshire
WT	White

SHADES

CG	Cognac
CH	Chocolate
CP	Copper
CS	Chocolate Sheer
GY	Grey
HP	Hemp
JV	Jave
LN	Linen
NA	Natural
RB	Rustic Beige
UD	Uddo
WA	White Wafer
WT	White

LEGEND


-  ADA Compliant
-  Conversion Kit
-  Diffuser Available
-  Energy Efficient
-  CFL Fluorescent
-  For Damp Location
-  For Wet Location
-  Incandescent
-  Installs on Slope Ceiling
-  Installs Up or Down
-  LED
-  LED
-  LED Dimmer

 Energy Star Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy of traditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at energystar.gov.

 Dimmable

Dimmable using standard dimmer. Lutron® CL dimmers are recommended

 California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.

Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.



CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2016 Maxim Lighting International, Inc. All Rights Reserved. Printed in China

LMXCAT1606

\$5.00



Maxim Lighting International

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@maximlighting.com
Web: www.maximlighting.com

#Maximlighting



Maxim Lighting and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Printed in China